

DON-JO MFG., INC.

ARCHITECTURAL HARDWARE & ACCESSORIES



Seattle, Washington

LATCH PROTECTORS

DON-JO MFG., INC.
P.O. Box 929
Sterling, MA 01564


PHONE: 978.422.3377
FAX: 978.422.3467
WATS: 800.628.8389
WATS FAX: 800.278.8202

WEB: www.don-jo.com
E-mail: info@don-jo.com
Section G, Version 1



INDEX

Item#	Page#	Item#	Page#	Item#	Page#	Item#	Page#
9211.....	3g	ILP-212.....	1g	MELP-210-EBF.....	7g	PLP-111.....	4g
9211-EBF.....	3g	KLP-110-LHR.....	6g	MLP-111.....	2g	PLP-111-EBF.....	4g
AL-211.....	8g	KLP-110-RHR.....	6g	MLP-111-EBF.....	2g	PLP-211.....	4g
ALP-206.....	5g	LELP-208.....	7g	MLP-211.....	2g	PLP-211-EBF.....	4g
ALP-210.....	5g	LELP-208-EBF.....	7g	MLP-211-EBF.....	2g	PMLP-111.....	3g
BLP-107.....	5g	LP-107.....	4g	NELP-207.....	2g	PMLP-111-EBF.....	3g
BLP-110.....	5g	LP-107-EBF.....	4g	NLP-106.....	5g	PMLP-211.....	3g
BLP-207.....	5g	LP-207.....	4g	NLP-110.....	5g	PMLP-211-EBF.....	3g
BLP-210.....	5g	LP-207-EBF.....	4g	NLP-206.....	5g	PULP-111.....	4g
CLP-106.....	4g	LP-111.....	3g	NLP-210.....	5g	PULP-211.....	4g
CLP-110.....	4g	LP-111-EBF.....	3g	OLP-2650.....	2g	SLP-106.....	6g
ELP-208.....	7g	LP-211.....	3g	OLP-2651.....	2g	SLP-106-EBF.....	6g
ELP-208-EBF.....	7g	LP-211-EBF.....	3g	OSLP-107.....	6g	SLP-206.....	6g
ELP-208P.....	7g	LP-307.....	1g	OSLP-107-EBF.....	6g	SLP-206-EBF.....	6g
ELP-208P-EBF.....	7g	LP-312.....	8g	OSLP-110.....	6g	ULP-111.....	2g
FLP-111.....	7g	LP-312-EBF.....	8g	OSLP-110-EBF.....	6g	ULP-211.....	2g
FLP-211.....	7g	LP-312P.....	8g	OSLP-207.....	6g	WSLP-104.....	6g
GLP-307-LHR.....	1g	LP-312P-EBF.....	8g	OSLP-207-EBF.....	6g	WSLP-204.....	6g
GLP-307-RHR.....	1g	LP-2878.....	8g	OSLP-210.....	6g		
ILP-206.....	1g	MELP-210.....	7g	OLSP-210-EBF.....	6g		



EBF

* Special Fasteners to prevent interference with the frame


* Available on selected Latch Protectors as an option

FASTENERS

Product	Fastening Type
ILP-206 & ILP-212	3 ea. #10 x 1 1/4" one way screws, 3 ea. #8 x 1 1/4" WS Flat Head
LP-307 GLP-307, OLP-2650, OLP-2651	1 ea. 5/16-18 x 2 1/4" Carriage bolt w/Acorn nut & washer 1 ea. Drive in Rivet
LP-111 & LP-211	4 ea. 5/16-18 x 2 1/4" Carriage bolts w/Acorn nuts & washers
MLP-111 & MLP-211, PLP-111 & PLP-211, PMLP-111 & PMLP-211, LP-107 & LP-207, ELP-208 & ELP-208P, LELP-208, MELP-210, SLP-106-SLP-206, OSLP-107 & OSLP-207, OSLP-110 & OSLP-210, LP-312 & LP-312P	2 ea. 5/16-18 x 2 1/4" Carriage bolts w/Acorn nuts & washers
CLP-106 & CLP-110, NLP-106 & NLP-206, NLP-110 & NLP-210, BLP-107 & BLP-207, BLP-110 & BLP-210, KLP-110, FLP-111 & FLP-211, LP-2878	2 ea. 1/4-20 x 1 3/4" Flat Head MS w/Finish Washer
ALP-206 & ALP-210	4 ea. #10-1 1/2 Phillips SMS



The INTERLOCK for inswinging doors




**ILP-206
ILP-212**

NUMBER	DIMENSIONS	MATERIAL
ILP-206	6"	Steel
ILP-212	12"	

SHELF PACK: 10 **Display Package Size - 4" x 12" and 4" x 16"**
GAUGE: 14 (.075)
FEATURES: • 6" version for use with key-in-knob and deadbolt locks
 • 12" version for use with Mortise Locks, Simplex 1000 series,
 Alarm Lock DL-2500, DL-2700 & 3000, Card Access Systems, etc.
FINISHES: BP (Brass Plated), CP (Chrome Plated), DU (Duro Coated), SL (Silver Coated)

For ALUMINUM ENTRANCE doors




LP-307

NUMBER	DIMENSIONS	MATERIAL
LP-307	2 5/8" x 7"	Steel Stainless Steel

SHELF PACK: 10 **Polybagged / Display Package Size 4" x 12"**
GAUGE: 12 (.104)
FEATURES: • Reversible • Fits over cylinder - lock removal **NOT** required
 • Hand carriage bolt and rivet supplied • No specific tools required
 • 3/8" offset
FINISHES: 630, DU (Duro Coated), SL (Silver Coated)

For ALUMINUM ENTRANCE doors- solves pull handle interference



**GLP-307
LHR SHOWN**

NUMBER	DIMENSIONS	MATERIAL
GLP-307 LHR	2 5/8" x 7"	Steel Stainless Steel
GLP-307 RHR	2 5/8" x 7"	

SHELF PACK: 10 **Polybagged**
GAUGE: 12 (.104)
FEATURES: • Fits over cylinder - lock removal **NOT** required
 • Hand carriage bolt and rivet supplied • No specific tools required
 • 3/8" offset
 • Center of cylinder hole is 2 1/2" from end of plate
FINISHES: 630, DU (Duro Coated), SL (Silver Coated)



EBF Fasteners available with selected Latch Protectors.

For use with **ALUMINUM ENTRANCE DOORS**



NELP-207

NUMBER	DIMENSIONS	MATERIAL
NELP-207	7"	Steel


SHELF PACK:

GAUGE:

- FEATURES:**
- Works with Adams Rite locks
 - Protects electric strikes from attach
 - Protects cylinder collar from wrenching
 - Stops crowbar attacks

FINISHES: DU (Duro Coated), SL (Silver Coated)

For use with **CENTER HUNG OUTSWINGING ALUMINUM DOORS**



**OLP-2650
OLP-2651**

NUMBER	DIMENSIONS	MATERIAL
OLP-2650	2 5/8" x 6 1/2"	Steel
OLP-2651	2 5/8" x 6 1/2"	


SHELF PACK: 10 Polybagged

GAUGE: 12 (.104)

- FEATURES:**
- (OLP-2650) available in 1 1/8" offset
 - (OLP-2651) available in 1 3/8" offset

FINISHES: DU (Duro Coated), SL (Silver Coated)

America's favorite for **OUTSWINGING DOORS** - completely covers the strike plate



**MLP-111
MLP-211**



**ULP-111
ULP-211**

NUMBER	DIMENSIONS	MATERIAL
MLP-111	3" x 11"	Stainless Steel
MLP-211	3" x 11"	Steel
MLP-111-EBF	3" x 11"	Stainless Steel
MLP-211-EBF	3" x 11"	Steel
ULP-111	3.5" x 11.75"	Stainless Steel
ULP-211	3.5" x 11.75"	Steel

SHELF PACK: 10 Polybagged

GAUGE: 12 (.104)

- FEATURES:** (MLP-111, MLP-211) Furnished with carriage bolts, washers & acorn cap nuts for safety and strength
(MLP-111-EBF, MLP-211-EBF) Furnished w/carriage bolt & sex nut
(ULP-111, ULP-211) Cut out size: 8.75"

FINISHES: (MLP-111, ULP-111) 630


(MLP-211) BP (Brass Plated), CP (Chrome Plated), DU (Duro Coated), SL (Silver Coated)

(ULP-211) BP (Brass Plated), CP (Chrome Plated), DU (Duro Coated), SL (Silver Coated), 626



EBF Fasteners available with selected Latch Protectors.

Pin Latch protectors for OUTSWINGING DOORS



**PMLP-III
PMLP-2II**

NUMBER	DIMENSIONS	MATERIAL
PMLP-111	3" x 11"	Stainless Steel
PMLP-211	3" x 11"	Steel
PMLP-111-EBF	3" x 11"	Stainless Steel
PMLP-211-EBF	3" x 11"	Steel

SHELF PACK: 10

Polybagged

GAUGE: 12 (.104)

FEATURES: (PMLP-111, PMLP-211)

Solid steel pin prevents spreading of door from frame


Pin is welded on back leaving no visible point of attack from outside

FINISHES: (PMLP-111) 630

(PMLP-211) BP (Brass Plated), CP (Chrome Plated), DU (Duro Coated), SL (Silver Coated)

(PMLP-211) BP (Brass Plated), CP (Chrome Plated), DU (Duro Coated), SL (Silver Coated), 626

America's favorite for OUTSWINGING DOORS - completely covers the strike plate



**LP-III
LP-2II
92II**

SAVE \$!

Product available polybagged

To order, replace "LP" with "9". (i.e., LP-2II will become 92II)

NUMBER	DIMENSIONS	MATERIAL
LP-111	3" x 11"	Stainless Steel
LP-211	3" x 11"	Steel
9211 (*Polybagged)	3" x 11"	Steel
LP-111-EBF	3" x 11"	Stainless Steel
LP-211-EBF	3" x 11"	Steel
9211 (*Polybagged)-EBF	3" x 11"	Steel

SHELF PACK: 10

Display Package Size - 4" x 16"

(9211, LP-111) Polybagged

GAUGE: 12 (.104)

FEATURES: • Furnished with carriage bolts, washers & acorn cap nuts for safety and strength

• Fits 2 3/4" and 2 3/8" backsets


FINISHES: (LP-111) 630

(LP-211) BP (Brass Plated), CP (Chrome Plated), DU (Duro Coated), PC (Prime Coated), SL (Silver Coated)



EBF Fasteners available with selected Latch Protectors.

Pin Latch protectors for OUTSWINGING DOORS



**PLP-III
PLP-2II**



**PULP-III
PULP-2II**

NUMBER	DIMENSIONS	MATERIAL
PLP-111	3" x 11"	Stainless Steel
PLP-211	3" x 11"	Steel
PLP-111-EBF	3" x 11"	Stainless Steel
PLP-211-EBF	3" x 11"	Steel
PULP-111	3.5" x 11.75"	Stainless Steel
PULP-211	3.5" x 11.75"	Steel

SHELF PACK: 10

Polybagged

GAUGE: 12 (.104)


FEATURES:

- Solid steel pin prevents spreading of door from frame
- Pin is welded on back leaving no visible point of attack from outside
- Fits 2 3/4" and 2 3/8" backsets

(PULP-111, PULP-211) Cut out size: 8.75"

FINISHES: (PLP-111, PULP-111) 630
(PLP-211, PULP-211) 626, BP (Brass Plated), CP (Chrome Plated), DU (Duro Coated), SL (Silver Coated)

For Outswinging doors



**LP-107
LP-207**

NUMBER	DIMENSIONS	MATERIAL
LP-107	2 3/4" x 7"	Stainless Steel
LP-207	2 3/4" x 7"	Steel
LP-107-EBF	2 3/4" x 7"	Stainless Steel
LP-207-EBF	2 3/4" x 7"	Steel

SHELF PACK: 10


Display Package Size - 4" x 12"

GAUGE: 12 (.104)

FEATURES: Furnished with carriage bolts, washers & acorn cap nuts for safety and strength

FINISHES: (LP-107) 630
(LP-207) BP (Brass Plated), CP (Chrome Plated), DU (Duro Coated), SL (Silver Coated)

COMMERCIAL TYPE for outswinging doors



**CLP-106
CLP-110**

NUMBER	DIMENSIONS	MATERIAL
CLP-106	2 1/8" x 6"	Stainless Steel
CLP-110	2 1/8" x 10"	

SHELF PACK: 10

Polybagged


GAUGE: 12 (.104)

FEATURES:

- 6" for key-in-knobs
- 10" for Mortise Locks
- Architectural design
- Concealed welded studs with fasteners

FINISH: 630


ANGLE TYPE for outswinging doors



NUMBER	DIMENSIONS	MATERIAL
ALP-206	6"	Steel
ALP-210	10"	

SHELF PACK: 10 Polybagged
GAUGE: 10 (.134)
FEATURES: • 6" for key-in-knobs
 • 10" for Mortise Locks
 • 1 1/2" sheet metal screws for wood or metal
FINISHES: BC (Brass Coated), DU (Duro Coated), SL (Silver Coated)


NARROW COMMERCIAL TYPE for outswinging doors



NUMBER	DIMENSIONS	MATERIAL
NLP-106	1 1/2" x 6"	Stainless Steel
NLP-110	1 1/2" x 10"	
NLP-206	1 1/2" x 6"	Steel
NLP-210	1 1/2" x 10"	

SHELF PACK: 10 Polybagged
GAUGE: 12 (.104)
FEATURES: • 6" for key-in-knobs • 10" for Mortise Locks
 • Narrow type for outswinging doors
FINISHES: (NLP-106, NLP-110) 630
 (NLP-206, NLP-210) DU (Duro Coated), PC (Prime Coated), SL (Silver Coated)

For KEY-IN-LEVER Locks with up to 3 3/4" ESCUTCHEON




NUMBER	DIMENSIONS	MATERIAL
BLP-107	3 1/4" x 7"	Stainless Steel
BLP-110	3 1/4" x 10"	
BLP-207	3 1/4" x 7"	Steel
BLP-210	3 1/4" x 10"	

SHELF PACK: 10 Polybagged
GAUGE: 12 (.104)
FEATURES: • Works with up to 3 3/4" rose
 • Concealed welded studs with fasteners
FINISHES: (BLP-107, BLP-110) 630
 (BLP-207, BLP-210) BP (Brass Plated), DU (Duro Coated), SL (Silver Coated)



EBF Fasteners available with selected Latch Protectors.

SLIPPER LATCH PROTECTOR



WSLP-104
WSLP-204

NUMBER	DIMENSIONS	MATERIAL
WSLP-104	5" x 4"	Stainless Steel
WSLP-204	5" x 4"	Stainless Steel

SHELF PACK: 10


Polybagged

GAUGE:

- FEATURES:**
- Sleek design allows for easy install
 - Mounts under the lock set
 - Works with most grade 1 & 2 levers & knobs
 - Prepped for most commercial locks

FINISHES: 630, DU, SL

For ELECTRONIC LOCKS



KLP-110-LHR
KLP-110-RHR

"RHR" SHOWN

NUMBER	DIMENSIONS	MATERIAL
KLP-110-LHR	1 1/2" x 10"	Stainless Steel
KLP-110-RHR	1 1/2" x 10"	

SHELF PACK: 10


Polybagged

GAUGE: 12 (.104)


- FEATURES:**
- Works with ILCO 1000, 4000
 - Alarm Lock Trilogy Locks
 - Mas-Hamilton Power Levers
 - Schlage Cobra
 - Marks I-Q

FINISH: 630

SHORT TYPE for outswinging doors



SLP-106
SLP-206



OSLP-107
OSLP-207
OSLP-110
OSLP-210

NUMBER	DIMENSIONS	MATERIAL
SLP-106	2 5/8" x 6"	Stainless Steel
SLP-206	2 5/8" x 6"	Steel
OSLP-107	2 5/8" x 7"	Stainless Steel
OSLP-207	2 5/8" x 7"	Steel
OSLP-110	2 5/8" x 10"	Stainless Steel
OSLP-210	2 5/8" x 10"	Steel
SLP-106-EBF	2 5/8" x 6"	Stainless Steel
SLP-206-EBF	2 5/8" x 6"	Steel
OSLP-107-EBF	2 5/8" x 7"	Stainless Steel
OSLP-207-EBF	2 5/8" x 7"	Steel
OSLP-110-EBF	2 5/8" x 10"	Stainless Steel
OSLP-210-EBF	2 5/8" x 10"	Steel

SHELF PACK: 10

Display Package Size - 4" x 12"

GAUGE: 12 (.104)

- FEATURES:**
- (SLP) Display Packaged
 - (OSLP) Polybagged

• Furnished with carriage bolts, washers & acorn cap nuts for safety and strength

- May be used on hollow metal door/frame using ANSI strike
- Works with up to 3 3/4" rose
- SLP - 3/8" offset / OSLP - 3/4" offset


FINISHES: (SLP-106, OSLP-107, OSLP-110) 630

(SLP-206, OSLP-207, OSLP-210) BP (Brass Plated), CP (Chrome Plated), DU (Duro Coated), SL (Silver Coated),




EBF Fasteners available with selected Latch Protectors.


For use with **ELECTRIC STRIKES**



ELP-208
ELP-208P



LELP-208
Fits up to
3 3/4" Rose



MELP 210

NUMBER	DIMENSIONS	MATERIAL
ELP-208	3 1/2" x 8"	Steel
ELP-208P	3 1/2" x 8"	
LELP-208	3 1/2" x 8"	
MELP-210	2 5/8" x 10"	
ELP-208-EBF	3 1/2" x 8"	
ELP-208P-EBF	3 1/2" x 8"	
LELP-208-EBF	3 1/2" x 8"	
MELP-210-EBF	2 5/8" x 10"	

SHELF PACK: 10

Polybagged

GAUGE: 12 (.104)

FEATURES: • Available with or without cylinder hole

• Designed to fit most electric strikes


• Completely encases the keeper for maximum protection

• Use with Mortise, Keyless Locks & Exit Devices

• ELP-208P No Cylinder Hole

FINISHES: DU (Duro Coated), SL (Silver Coated)

Fits **FOLGER ADAMS ELECTRIC STRIKE** for outswinging doors



FLP-III
FLP-2II

NUMBER	DIMENSIONS	MATERIAL
FLP-III	1 3/4" x 11 1/4"	Stainless Steel
FLP-2II	1 3/4" x 11 1/4"	Steel

SHELF PACK: 10

Polybagged

GAUGE: 12 (.104)

FEATURES: Works with Folger Adams 310 & 710 models


FINISHES: (FLP-III) 630

(FLP-2II) BP (Brass Plated), DU (Duro Coated)



EBF Fasteners available with selected Latch Protectors.

For outswinging **ALUMINUM ENTRANCE DOORS**




AL-211

NUMBER	DIMENSIONS	MATERIAL
AL-211	3 1/2" x 12"	Steel

SHELF PACK: 10 Polybagged
GAUGE: 12 (.104)
FINISHES: DU (Duro Coated), SL (Silver Coated)
FEATURES: Sex nuts and bolts for secure mounting and professional appearance

Fits **ADAMS RITE LATCH LOCK** for outswinging doors




**LP-312
LP-312P**

NUMBER	DIMENSIONS	MATERIAL
LP-312	2 5/8" x 12"	Steel
LP-312P	2 5/8" x 12"	
LP-312-EBF	2 5/8" x 12"	
LP-312P-EBF	2 5/8" x 12"	

SHELF PACK: 10 Polybagged
GAUGE: 12 (.104)
FEATURES: • Reversible
 • 3/8" offset - 1 7/16" hole - 1 1/8" backset
 • LP-312P No Center Hole
FINISHES: DU (Duro Coated), SL (Silver Coated)

SLIMLINE for outswinging doors



LP-2878

NUMBER	DIMENSIONS	MATERIAL
LP-2878	1 1/2" x 8 7/8"	Steel

SHELF PACK: 10 Polybagged
GAUGE: 5/16" thick (.3125)
FEATURES: Sleek appearance
FINISHES: DU (Duro Coated), PC (Prime Coated), SL (Silver Coated)

ONLINE ORDERING

Earn

3%

***additional discount
for online ordering!***

New Online Features:

- Improved Searches • Order Status***
- Templates • Pricing***

***ENTIRE
ORDER!***

EVERY ORDER!

www.don-jo.com

DON-JO MFG., INC.

ARCHITECTURAL HARDWARE



www.don-jo.com

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2015